Index to Volume 36

Authors and Titles

Anderson, D. T., and Anderson, J. T.
Functional morphology of the balanomorph barnacles *Tesseropora rosea* (Krauss) and *Tetraclitella purpurascens* (Wood) (Tetraclitidae) 87
Anderson, D. T. *See also* Egan, E. A.
Anderson, J. T. *See* Anderson, D. T.
Arnott, G. H., and McKinnon, A. D.
Distribution and abundance of eggs of the anchovy, *Engraulis australis antipodum* Gunther, in relation to temperature and salinity in the Gippsland Lakes 433
Arthington, A. H. *See* Milton, D. A.
Atkinson, M. J. *See* Holloway, Peter E.; Kimmerer, W. J.

Barry, M. J., and Bayly, I. A. E.
Further studies on predator induction of crests in Australian *Daphnia* and the effects of crests on predation 519
Corrigendum 880
Bayly, I. A. E. *See* Barry, M. J.
Beer, S., and Eshel, A.
Determining phycoerythrin and phycocyanin concentrations in aqueous crude extracts of red algae 785
Blaber, S. J. M., Young, J. W., and Dunning, M. C.
Community structure and zoogeographic affinities of the coastal fishes of the Dampier region of north-western Australia 247
Booth, D. J., Pyke, G. H., and Lanzing, W. J. R.
Prey detection by the blue-eye, *Pseudomugil signifer* Kner (Atherinidae): analysis of field behaviour by controlled laboratory experiments 691
Brandt, S. B. *See* Dunning, M.
Briggs, S. V., and Maher, M. T.
Limnological studies of waterfowl habitat in south-western New South Wales. II. Aquatic macrophyte productivity 707
Briggs, S. V., Maher, M. T., and Carpenter, S. M.
Limnological studies of waterfowl habitat in south-western New South Wales. I. Water chemistry 59
Bunt, E. D. *See* Bunt, J. S.
Bunt, J. S., Williams, W. T., and Bunt, E. D.
Mangrove species distribution in relation to tide at the seafront and up rivers 481
Butler, E. C. V., and Smith, J. D.
Iodine and arsenic redox species in oxygen-deficient estuarine waters 301

Carpenter, S. M. *See* Briggs, S. V.
Chessman, B. C.
Phytoplankton of the La Trobe River, Victoria 115
Artificial-substratum periphyton and water quality in the lower La Trobe River, Victoria 855
Estimates of ecosystem metabolism in the La Trobe River, Victoria 873
Collins, J. D. *See* Heyward, A. J.
Croome, R. L., and Tyler, P. A.
Structure and ecology of the flagellate *Scourfieldia caeca* (Korsh.) Belcher & Swale in two meromictic lakes in Tasmania 413
Distribution of silica-scaled Chrysophyceae (Paraphysomonadaceae and Mallomonadaceae) in Australian inland waters 839

Davis, T. L. O.
Seasonal changes in gonad maturity, and abundance of larvae and early juveniles of barramundi, *Lates calcarifer* (Bloch), in Van Diemen Gulf and the Gulf of Carpentaria 177
De Deckker, P. *See* Martens, K.
Dexter, D. M.
Distribution and life histories of abundant crustaceans of four sandy beaches of south-eastern New South Wales 281
Dexter, P. E. *See* Heron, M. L.
Dunning, M., and Brandt, S. B.
Distribution and life history of deep-water squid of commercial interest from Australia 343
Dunning, M. C. *See also* Blaber, S. J. M.

Egan, E. A., and Anderson, D. T.
Larval development of *Elminius covertus* Foster and *Hexaminius popeiana* Foster (Cirripedia : Archaeobalanidae : Elminiinae) reared in the laboratory 383

Eshel, A. *See* Beer, S.

Fandry, C. B., Hubbert, G. D., and McIntosh, P. C.
Comparison of predictions of a numerical model and observations of tides in Bass Strait 737
Ferris, J. M., and Tyler, P. A.
Chlorophyll–total phosphorus relationships in Lake Burragorang, New South Wales, and some other Southern Hemisphere lakes 157
Fielder, D. R. *See* Heasman, M. P.
Fletcher, A. R., Morison, A. K., and Hume, D. J.
Effects of carp, *Cyprinus carpio* L., on communities of aquatic vegetation and turbidity of waterbodies in the lower Goulburn River basin 311
Ford, W. B. *See* Prince, J. D.
Frusher, S. D., Gwyther, D., and Lindholm, R.
Growth of the banana prawn, *Penaeus merguiensis* De Man, as estimated from tagging studies in the Gulf of Papua 793

Ganf, G. G., and Shiel, R. J.
Feeding behaviour and limb morphology of two cladocerans with small intersetular distances 69
Particle capture by *Daphnia carinata* 371
Garrett, R. N. *See* Russell, D. J.
Godfrey, J. S. *See* Thomson, J. D.
Gwyther, D. *See* Frusher, S. D.

Hamilton, T. F. *See* Smith, J. D.
Harriott, V. J.
Reproductive biology of three congeneric sea cucumber species, *Holothuria atra*, *H. impatiens* and *H. edulis*, at Heron Reef, Great Barrier Reef 51
Harris, J. H.
Diet of the Australian bass, *Macquaria novemaculeata* (Perciformes : Percichthyidae), in the Sydney Basin 219
Age of Australian bass, *Macquaria novemaculeata* (Perciformes : Percichthyidae), in the Sydney Basin 235
Hartwick, R. F. *See* Jenkins, G. P.
Haslett, S. J., and Wear, R. G.
Biomass estimation of *Artemia* at Lake Grassmere, Marlborough, New Zealand 537
Hearn, C. J., Hunter, J. R., Imberger, J., and van Senden, D.
Tidally induced jet in Koombana Bay, Western Australia 453
Hearn, C. J., and Pearce, A. F.
NOAA satellite and air-borne sensing of a small-scale, coastal tidal jet 643
Heasman, M. P., Fielder, D. R., and Shepherd, R. K.
Mating and spawning in the mudcrab, *Scylla serrata* (Forskål) (Decapoda : Portunidae), in Morton Bay, Queensland 773
Heath, R. A.
Large-scale influence of the New Zealand seafloor topography on western boundary currents of the South Pacific Ocean 1
Heron, M. L., Dexter, P. E., and McGann, B. T.
Parameters of the air–sea interface by high-frequency ground-wave Doppler radar 655
Heyward, A. J., and Collins, J. D.
Growth and sexual reproduction in the scleractinian coral *Montipora digitata* (Dana) 441
Hodda, M., and Nicholas, W. L.
Meiofauna associated with mangroves in the Hunter River estuary and Fullerton Cove, south-eastern Australia 41
Holloway, P. E., Humphries, S. E., Atkinson, M., and Imberger, J.
Mechanisms for nitrogen supply to the Australian North West Shelf 753
Holloway, P. E., and Nye, H. C.
Leeuwin Current and wind distributions on the southern part of the Australian North West Shelf between January 1982 and July 1983 123
Howard, R. K., and Koehn, J. D.
Population dynamics and feeding ecology of pipefish (Syngnathidae) associated with eelgrass beds of Western Port, Victoria 361
Hubbert, G. D. *See* Fandry, C. B.
Hume, D. J. *See* Fletcher, A. R.
Humphries, S. E. *See* Holloway, P. E.
Hunter, J. R. *See* Hearn, C. J.

Imberger, J. *See* Hearn, C. J.; Holloway, P. E.

Jenkins, G. P., Milward, N. E., and Hartwick, R. F.
Occurrence of larvae of Spanish mackerels, genus *Scomberomorus* (Teleostei : Scombridae), in shelf waters of the Great Barrier Reef 635
Johns, R. B. *See* Nichols, P. D.
Jones, G.
Revision of the Australian species of the fish family Leiognathidae 559

Kessell, J. A. *See* Kimmerer, W. J.
Kimmerer, W. J., McKinnon, A. D., Atkinson, M. J., and Kessell, J. A.
Spatial distributions of plankton in Shark Bay, Western Australia 421
Corrigendum 736
Klumpp, D. W. *See* Nichols, P. D.
Koehn, J. D. *See* Howard, R. K.

Lanzing, W. J. R. *See* Booth, D. J.
Lindholm, R. *See* Frusher, S. D.
Lloyd, L. N., and Tomasov, J. F.
Taxonomic status of the mosquitofish, *Gambusia affinis* (Poeciliidae), in Australia 447

McGann, B. T. *See* Heron, M. L.
McIntosh, P. C. *See* Fandry, C. B.
McKinnon, A. D. *See* Arnott, G. H.; Kimmerer, W. J.
McLoughlin, R. J., and Young, P. C.
Sedimentary provinces of the fishing grounds of the North West Shelf of Australia: grain-size frequency analysis of surficial sediments 671
Maher, M. T. *See* Briggs, S. V.
Marples, T. G. *See* Martens, K.
Martens, K., De Deckker, P., and Marples, T. G.
Life history of *Mytilocypris henricae* (Chapman) (Crustacea : Ostracoda) in Lake Bathurst, New South Wales 807
Milton, D. A., and Arthington, A. H.
Reproductive strategy and growth of the Australian smelt, *Retropinna semoni* (Weber) (Pisces : Retropinnidae), and the olive perchlet, *Ambassis nigripinnis* (De Vis) (Pisces : Ambassidae), in Brisbane, south-eastern Queensland 329
Milward, N. E. *See* Jenkins, G. P.
Morison, A. K. *See* Fletcher, A. R.
Morton, D. W.
Revision of the Australian Cyclopidae (Copepoda : Cyclopoida). I. *Acanthocyclops* Kiefer, *Diacyclops* Kiefer and *Australocyclops*, gen. nov. 615

Nicholas, W. L. *See* Hodda, M.
Nichols, P. D., Klumpp, D. W., and Johns, R. B.
A study of food chains in seagrass communities. III. Stable carbon isotope ratios 683
Nuttall, P. M.
Uptake of phosphorus and nitrogen by *Myriophyllum aquaticum* (Velloza) Verd. growing in a wastewater treatment system 493

Nye, H. C. *See* Holloway, P. E.

Owen, L.
Polypocephalus sp. (Cestoda : Lecanicephalidae) as a biological marker for banana prawns, *Penaeus merguiensis* de Man, in the Gulf of Carpentaria 291

Pearce, A. F. *See* Hearn, C. J.
Prince, J. D., and Ford, W. B.
Use of anaesthetic to standardize efficiency in sampling abalone populations (genus *Haliotis*; Mollusca : Gastropoda) 701
Pyke, G. H. *See* Booth, D. J.

Rimmer, M. A.
Reproductive cycle of the fork-tailed catfish *Arius graeffei* Kner & Steindachner (Pisces : Ariidae) from the Clarence River, New South Wales 23
Growth, feeding and condition of the fork-tailed catfish *Arius graeffei* Kner & Steindachner (Pisces : Ariidae) from the Clarence River, New South Wales 33
Early development and buccal incubation in the fork-tailed catfish *Arius graeffei* Kner & Steindachner (Pisces : Ariidae) from the Clarence River, New South Wales 405
Russell, D. J., and Garrett, R. N.
Early life history of barramundi, *Lates calcarifer* (Bloch), in north-eastern Queensland 191
Corrigendum 641

Salini, J. P. *See* Shaklee, J. B.
Semple, G. P.
Reproductive behaviour and development of the glass perchlet, *Ambassis agrammus* Gunther (Pisces : Ambassidae), from the Alligator Rivers system, Northern Territory 797
Senden, D. van. *See* Hearn, C. J.
Shaklee, J. B., and Salini, J. P.
Genetic variation and population subdivision in Australian barramundi, *Lates calcarifer* (Bloch) 203
Shepherd, R. K. *See* Heasman, M. P.
Shiel, R. J. *See* Ganf, G. G.
Smith, J. D., and Hamilton, T. F.
Modelling of ^{210}Pb behaviour in the catchment and sediment of Lake Tali Karng, Victoria, and estimation of recent sedimentation rates 15
Smith, J. D. *See also* Butler, E. C. V.

Talbot, V.
Heavy metal concentrations in the oysters *Saccostrea cucullata* and *Saccostrea* sp. from the Dampier Archipelago, Western Australia 169
Thomson, J. D.
Mercury concentrations of the axial muscle tissues of some marine fishes of the continental shelf adjacent to Tasmania 509
Thomson, J. D., and Godfrey, J. S.
Circulation dynamics in the Derwent estuary 765
Tomasov, J. F. *See* Lloyd, L. N.
Towns, D. R.
Limnological characteristics of a South Australian intermittent stream, Brown Hill Creek 821
Tyler, P. A. *See* Croome, R. L.; Ferris, J. M.

Wear, R. G. *See* Haslett, S. J.
Williams, W. T. *See* Bunt, J. S.
Wilson, B. R.
Direct development in southern Australian cowries (Gastropoda : Cypraeidae) 267
Wilson, P. R.
Tidal studies in the One Tree Island lagoon 139

Young, J. W. *See* Blaber, S. J. M.
Young, P. C. *See* McLoughlin, R. J.
Yule, C.
Comparative study of the life cycles of six species of *Dinotoperla* (Plecoptera : Gripopterygidae) in Victoria 717

Printed by CSIRO, Melbourne